



T O O L I N G

I N S E R T S



INSERTI PER FRESATURA
MILLING INSERTS
WENDEPLATTEN ZUM FRAESEN

	FIGURA FIGURE FORM	DIMENSIONI DIMENSIONS ABMESSUNGEN					DENOMINAZIONE DESIGNATION BEZEICHNUNG	NON RIVESTITI UNCOATED UNBESCHICHTET			TN	RIVESTITI COATED BESCHICHTET				
		l	d	s	d1	r		K15	P25	P40		P200	P300	K300	TIALN	
ADKT...S		15,0	9,52	5,0	4,5	0,8	ADKT 1505 PDTR-S	□	■	□	■				■	
APFT...S		17,0	9,45	4,76	4,4	0,8	APFT 1604 PDTR-S	■	■	■	■				■	
NOVITA NEU NEW APKT...S		10,5 17,0	6,70 9,45	3,50 5,26	2,80 4,40	0,5 0,8	APKT 1003 PDER-S APKT 1604 PDER-S							■	■	■
APKT...K		10,5 17,0	6,70 9,45	3,50 5,26	2,80 4,40	0,5 0,8	APKT 1003 PDTR-K APKT 1604 PDTR-K	■	■	■	■				■	■
APKX...S		17,0	9,45	5,76	4,4	0,8	APKX 1604 PDTR-S	□	■	□	■				□	
APHX... (ALU)		10,5 17,0 17,0	6,70 9,52 9,52	3,50 4,76 4,76	2,8 4,4 4,4	0,4 0,4 0,8	APHX 100304FR-ALU APHX 160404FR-ALU APHX 1604 PDR-ALU	■			■				■	
APHT... (INOX)		10,5 17,0	6,70 9,52	3,5 4,76	2,8 4,4	0,4 0,8	APHT 100304 APHT 1604 PDR	■	■	■	■				■	■
SDMT...69		12,7	12,7	5,0	4,4	0,8	SDMT 1205 PDR.69	□	■	■	■				■	
LDMW		15,0	9,52	3,18	4,3	0,8	LDMW 150308	■	■	■	■				□	
LPMW		15,88	12,7	4,76	5,5		LPMW 1504	■	■	■	□				□	























■ DISPONIBILI - IN STOCK - LIEFERBAR □ A RICHIESTA - ON REQUEST - AUF ANFRAGE

INSERTI PER FRESATURA
MILLING INSERTS
WENDEPLATTEN ZUM FRAESEN

	FIGURA FIGURE FORM	DIMENSIONI DIMENSIONS ABMESSUNGEN					DENOMINAZIONE DESIGNATION BEZEICHNUNG	NON RIVESTITI UNCOATED UNBESCHICHTET			RIVESTITI COATED BESCHICHTET	
		l	d	s	d1	r		K15 P25 P40	TIN	TIALN		
SDMW		9,52	9,52	3,18	4,3	0,8	SDMW 090308	■	■	□	□	■
SPMW		12,70	12,70	4,76	5,5	0,8	SPMW120408	■	■	□	□	■
SEHT - SEKT		12,70	12,70	4,76	5,5		SEHT 1204 AE SEKT 1204 AE SEKT 1204 AFTN	■	■	■	■	■
SEHX... (ALU)		12,70	12,70	4,76	5,5		SEHX 1204 ALU	■				■
SEHW		12,70 12,70	12,70 12,70	4,76 4,76	5,5 5,5		SEHW 1204 AF SEHW 1204 AFT	■ ■	■	■	■	■
SEKN		12,70 12,70 15,87 15,87	12,70 12,70	3,18 3,18 4,76 4,76			SEKN 1203 AF SEKN 1203 AFTN SEKN 1504 AF SEKN 1504 AFTN	■ ■ □ □	■	□	■	■
SEKR		12,70 12,70 15,87	12,70 12,70	3,18 4,76			SEKR 1203 AFTN SEKR 1204 AFTN SEKR 1504 AFTN	■ □ □	■	■	■	■
RA						8 10 12 16 20 25 32	4 5 6 8 6 12,5 16	RA 08 RA 10 RA 12 RA 16 RA 20 RA 25 RA 32	□ □ □ □ □ □ □	■	■	■
RDHX... MOT		5,0 7,0 7,0 10,0 12,0 16,0		1,99 1,99 2,38 3,18 3,97 4,76	2,8 2,8 2,8 3,9 3,9 5,0		RDHX 0501 MOT RDHX 07T1 MOT RDHX 0702 MOT RDHX 1003 MOT RDHX 12T3 MOT RDHX 1604 MOT	■ ■ ■ ■ ■ ■	■	□ □ □ □ □ □	■	■

■ DISPONIBILI - IN STOCK - LIEFERBAR □ A RICHIESTA - ON REQUEST - AUF ANFRAGE

INSERTI PER FRESATURA
MILLING INSERTS
WENDEPLATTEN ZUM FRAESEN

	FIGURA FIGURE FORM	DIMENSIONI DIMENSIONS ABMESSUNGEN					DENOMINAZIONE DESIGNATION BEZEICHNUNG	NON RIVESTITI UNCOATED UNBESCHICHTET				RIVESTITI COATED BESCHICHTET			
		l	d	s	d1	r		K15	P25	P40	TIN	TiAlN	TiAlN	TiAlN	
 SNHX		11,0	11,0	2,3	4,4	SNHX 1102T SNHX 1103T SNHX 1203T SNHX 1204T SNHX 1205T SNHX 1207T	<input type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
		11,0	11,0	2,7	4,4		<input type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
		12,7	12,7	3,2	5,0		<input type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
		12,7	12,7	4,0	5,0		<input type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
		12,7	12,7	5,4	5,0		<input type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
		12,7	12,7	7,0	5,0		<input type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
 SNHX... ALU		11,0	11,0	2,3	4,4	SNHX 1102 ALU SNHX 1103 ALU SNHX 1203 ALU SNHX 1204 ALU SNHX 1205 ALU SNHX 1207 ALU	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
		11,0	11,0	2,7	4,4		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
		12,7	12,7	3,2	5,0		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
		12,7	12,7	4,0	5,0		<input type="checkbox"/>				<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
		12,7	12,7	5,4	5,0		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
		12,7	12,7	7,0	5,0		<input type="checkbox"/>				<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
 SPMT		6,35	6,35	3,18	2,8	SPMT 060304 SPMT 09T308 SPMT 120408					<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
		9,52	9,52	3,97	4,5		0,8					<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>
		12,7	12,7	4,76	5,5		0,8					<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>
 OFMT		12,7		3,77	4,5	OFMT 05T305 TN.I	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
 OFEX... (ALU)		12,7		3,77	4,5	OFEX 05T305 ALU	<input type="checkbox"/>				<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
 OFER... I		17,94		4,56		OFER 070405 TN.I	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>			<input checked="" type="checkbox"/>	
 OFER... (ALU)		17,94		4,56		OFER 070405 ALU	<input type="checkbox"/>				<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
 CPMT		5,6	5,56	1,97	2,5	CPMT 05T104 CPMT 050204					<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
		5,6	5,56	2,38	2,8		0,4					<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>
 SCMT		6,35	6,35	2,38	2,8	SCMT 060204 SCMT 09T308 SCMT 120408	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
		9,52	9,52	3,97	4,4		0,8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>
		12,7	12,7	4,76	5,5		0,8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>
 SDHT - SDKT		12,70	12,70	4,76	5,5	SDHT 1204 AEFN SDHT 09T3 AE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
		9,5	9,5	3,97	4,4		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>			<input checked="" type="checkbox"/>	
 SDHX... (ALU)		12,70	12,70	4,76	5,5	SDHX 1204 ALU	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	

■ DISPONIBILI - IN STOCK - LIEFERBAR □ A RICHIESTA - ON REQUEST - AUF ANFRAGE

INSERTI POSITIVI PER TORNITURA
POSITIVE TURNING INSERTS
POSITIVE WENDEPLATTEN ZUM DREHEN

	FIGURA FIGURE FORM	DIMENSIONI DIMENSIONS ABMESSUNGEN					DENOMINAZIONE DESIGNATION BEZEICHNUNG	NON RIVESTITI UNCOATED UNBESCHICHTET			RIVESTITI COATED BESCHICHTET			CERMET		
		l	d	s	d1	r		K15	P25	P40	TiN			X99	X55	
TPGX							TPGX 060102 R/L TPGX 080202 R/L TPGX 080204 R/L TPGX 090204 R/L TPGX 090208 R/L									
TCMT		9,6	5,56	2,38	2,5	0,4	TCMT 080204				■				□	
		11,0	6,35	2,38	2,8	0,2	TCMT 110202				□				□	
		11,0	6,35	2,38	2,8	0,4	TCMT 110204				■				□	
		16,0	9,52	3,97	4,4	0,4	TCMT 16T304				■				□	
16,0	9,52	3,97	4,4	0,8	TCMT 16T308				■					□		
TCGT		11,0	6,35	2,38	2,8	0,2	TCGT 110202	■								
		11,0	6,35	2,38	2,8	0,24	TCGT 110204	■								
		16,5	9,52	3,97	4,4	0,4	TCGT 16T304	■								
16,5	9,52	3,97	4,4	0,8	TCGT 16T308	■										
CCMT		6,4	6,35	2,38	2,8	0,2	CCMT 060202									■
		6,4	6,35	2,38	2,8	0,4	CCMT 060204									■
		0,7	9,52	3,97	4,4	0,4	CCMT 09T304									■
		9,7	9,52	3,97	4,4	0,8	CCMT 09T308									■
		12,9	12,70	4,76	5,5	0,4	CCMT 120404									■
12,9	12,70	4,76	5,5	0,8	CCMT 120408									■		
CCGT		6,4	6,35	2,38	2,8	0,2	CCGT 060202	■								■
		6,4	6,35	2,38	2,8	0,4	CCGT 060204	■								■
		9,7	9,52	3,97	4,4	0,4	CCGT 09T304	■								■
		9,7	9,52	3,97	4,4	0,8	CCGT 09T308	■								■
		12,9	12,70	4,76	5,5	0,4	CCGT 120404	■								■
12,9	12,70	4,76	5,5	0,8	CCGT 120408	■								■		
DCMT		7,75	6,35	2,38	2,8	0,2	DCMT 070202									■
		7,75	6,35	2,38	2,8	0,4	DCMT 070204									■
		11,6	9,52	3,97	4,4	0,2	DCMT 11T302					□				□
		11,6	9,52	3,97	4,4	0,4	DCMT 11T304					■				□
11,6	9,52	3,97	4,4	0,8	DCMT 11T308					■				□		
DCGT		7,75	6,35	2,38	2,8	0,2	DCGT 070202	■								■
		7,75	6,35	2,38	2,8	0,4	DCGT 070204	■								■
		11,60	9,52	3,97	4,4	0,2	DCGT 11T302	■								■
11,60	9,52	3,97	4,4	0,2	DCGT 11T304	■								■		
11,60	9,52	3,97	4,4	0,2	DCGT 11T308	■								■		
VCMT		11,1	6,35	3,18	2,9	0,4	VCMT 110304		□							■
		16,6	9,52	4,76	4,4	0,4	VCMT 160404			□						■
		16,6	9,52	4,76	4,4	0,8	VCMT 160408			□						□
VCGT		11,1	6,35	3,18	2,9	0,2	VCGT 110302	□								■
		11,1	6,35	3,18	2,9	0,4	VCGT 110304	■								■
		11,1	6,35	3,18	2,9	0,8	VCGT 110308	□								■
		16,6	9,52	4,76	4,4	0,4	VCGT 160404	■								■
16,6	9,52	4,76	4,4	0,8	VCGT 160408	■								■		
WCGT		2,62	3,97	1,59	2,3	0,2	WCGT 020102 R									■
		2,62	3,97	1,59	2,3	0,2	WCGT 020102 L									■
		2,62	3,97	1,59	2,3	0,4	WCGT 020104 R									■
		2,62	3,97	1,59	2,3	0,4	WCGT 020104 L									■
WCMT		2,62	3,97	1,59	2,3	0,2	WCMT 020102									■
		2,62	3,97	1,59	2,3	0,4	WCMT 020104									■

■ DISPONIBILI - IN STOCK - LIEFERBAR □ A RICHIESTA - ON REQUEST - AUF ANFRAGE

INSERTI PER FORATURA
DRILLING INSERTS
WENDEPLATTEN ZUM BOHREN

	FIGURA FIGURE FORM	DIMENSIONI DIMENSIONS ABMESSUNGEN					DENOMINAZIONE DESIGNATION BEZEICHNUNG	NON RIVESTITI UNCOATED UNBESCHICHTET				RIVESTITI COATED BESCHICHTET	
		l	d	s	d1	r		K15	P25	P40	TIN	TIALN	
XOMT		3,37	5,5	2,38	2,25	0,4	XOMT 020204 XOMT 030204 XOMT 050304 XOMT 060304 XOMT 07T304				■	■	
		3,97	6,0	2,38	2,5	0,4							
		5,29	8,0	3,18	2,8	0,4							
		6,62	10,0	3,18	4,0	0,4							
		7,94	12,0	3,97	4,4	0,4							
WCGT. 29		3,37	5,5	2,38	2,25	0,4	WCGT 020204 WCGT 030204 WCGT 050304 WCGT 060304 WCGT 07T304				■	■	
		3,97	6,00	2,38	2,5	0,4							
		5,29	8,00	3,18	2,8	0,4							
		6,62	10,00	3,18	4,0	0,4							
		7,94	12,00	3,97	4,4	0,4							
WCMT... K		3,46	5,56	2,38	2,5	0,8	WCMT 030208 WCMT 040208 WCMT 050308 WCMT 06T308 WCMT 080408 WCMT 080412				■	■	
		3,99	6,35	2,38	2,8	0,8							
		5,07	7,94	3,18	3,4	0,8							
		6,14	9,525	3,97	3,8	0,8							
		8,14	12,70	4,76	4,4	0,8							
		8,14	12,70	4,76	4,4	1,2							

INSERTO CENTRATORE 311.020...
INSERTS FOR MILLING 311.020...
W.P. FUER FRAESER 311.020...












	FIGURA FIGURE FORM	DIMENSIONI DIMENSIONS ABMESSUNGEN					DENOMINAZIONE DESIGNATION BEZEICHNUNG	NON RIVESTITI UNCOATED UNBESCHICHTET				RIVESTITI COATED BESCHICHTET	
		l	d	s	d1	r		K15	P25	P40	TIN	TIALN	
TCMX...		16,5	9,52	3,97	4,4		TCMX 16T3 ZR				■	■	

INSERTI PER SCANALATURA E TAGLIO
GROOVING AND PARTING INSERTS
WENDESCHNEIDPLATTEN ZUM ABSTECHEN MIT FESTANSCHLAG

	FIGURA FIGURE FORM	DIMENSIONI DIMENSIONS ABMESSUNGEN					DENOMINAZIONE DESIGNATION BEZEICHNUNG	NON RIVESTITI UNCOATED UNBESCHICHTET				RIVESTITI COATED BESCHICHTET	
		l	T	s	d1	W		K15	P25	P40	TIN	TIALN	
154. 3		16	1,2	2,5	4,5	1,10	154. 3 - 16110 154. 3 - 16130 154. 3 - 16160 154. 3 - 16185 154. 3 - 16215 154. 3 - 16265 154. 3 - 16315 154. 3 - 16415				■	■	
		16	1,5	2,5	4,5	1,30							
		16	1,8	2,5	4,5	1,60							
		16	3,0	2,5	4,5	1,85							
		16	3,0	2,5	4,5	2,15							
		16	3,0	2,5	4,5	2,65							
		16	3,0	2,5	4,5	3,15							
		16	3,0	2,5	4,5	4,15							

■ DISPONIBILI - IN STOCK - LIEFERBAR □ A RICHIESTA - ON REQUEST - AUF ANFRAGE

INSERTI PROGRAMMA FUJIGEN
FUJIGEN PROGRAM INSERTS
WENDEPLATTEN ZUM FUJIGEN PROGRAMME

	FIGURA FIGURE FORM	DIMENSIONI DIMENSIONS ABMESSUNGEN					DENOMINAZIONE DESIGNATION BEZEICHNUNG	NON RIVESTITI UNCOATED UNBESCHICHTET				RIVESTITI COATED BESCHICHTET			
		l	d	s	d1	r		K15	P25	P40	TiN			TiAlN	
							C22 GUX NK 5050 C32 GUX NK 5050				■			•	
							D43 GUX NK 5050				■			•	
							T32GSR-1R NK 2020 T32GSR-2R NK 2020 T32GSR-3R NK 2020	□						•	
							N43GXR-1R NK 2020 N43GXR-2R NK 2020 N43GXR-3R NK 2020 N43GXR-4R NK 2020 N43GXR-5R NK 2020 N43GXR NK 2020 1-2-3-4R	■						•	
							N54GCR-5R NK 2020 N54GCR-8R NK 2020 N54GCR-10R NK 2020	■						•	
							XNEW 3004 - 11R NK2020 XNEW 3004 - 12R NK2020 XNEW 3004 - 13R NK2020 XNEW 3004 - 14R NK2020 XNEW 3004 - 15R NK2020 XNEW 3004 - 16R NK2020 XNEW 3004 - 17R NK2020 XNEW 3004 - 18R NK2020 XNEW 3004 - 19R NK2020 XNEW 3004 - 20R NK2020	■						•	
							TM 32 GUR HSS TM 32 GSR HSS	■						•	
							X63GUR NK2020	■			□			•	
							XX21MNX-M4 NK2020 XX21MNX-M5 NK2020 XX21MNX-M6 NK2020	■						•	
							XS22MNX-M8 NK2020 XS22MNX-M10 NK2020 XS22MNX-M12 NK2020 XS32MNX-M14 NK2020 XS32MNX-M16 NK2020 XS42MNX-M18 NK2020 XS42MNX-M20 NK2020 XS42MNX-M22 NK2020 XS53MNX-M24 NK2020 XS53MNX-M27 NK2020 XS53MNX-M30 NK2020	■						•	
							LDGT 190304 00				■			•	

■ DISPONIBILI - IN STOCK - LIEFERBAR □ A RICHIESTA - ON REQUEST - AUF ANFRAGE

Scanalatura e Taglio - Grooving and Parting							NON RIVESTITI UNCOATED UNBESCHICHTET			RIVESTITI COATED BESCHICHTET			
							K15	P25	P40	TIN		TIALN	
	0												
		l	d	s	d1	r	ART.						
		1,0	6,0	7	2	17	GIE - 7 - GP - 1,0 R - N						
		1,0	6,0	7	2	17	GIE - 7 - GP - 1,0 R - R						
		1,0	6,0	7	2	17	GIE - 7 - GP - 1,0 R - L						
		1,0	6,0	7	2	17	GIE - 7 - GP - 1,0 L - N						
		1,0	6,0	7	2	17	GIE - 7 - GP - 1,0 L - R						
		1,0	6,0	7	2	17	GIE - 7 - GP - 1,0 L - L						
		1,5	6,0	7	2	17	GIE - 7 - GP - 1,5 R - N						
		1,5	6,0	7	2	17	GIE - 7 - GP - 1,5 R - R						
		1,5	6,0	7	2	17	GIE - 7 - GP - 1,5 R - L						
		1,5	6,0	7	2	17	GIE - 7 - GP - 1,5 L - N						
		1,5	6,0	7	2	17	GIE - 7 - GP - 1,5 L - R						
		1,5	6,0	7	2	17	GIE - 7 - GP - 1,5 L - L						
		2,0	6,0	7	2	17	GIE - 7 - GP - 2,0 R - N						
		2,0	6,0	7	2	17	GIE - 7 - GP - 2,0 R - R						
		2,0	6,0	7	2	17	GIE - 7 - GP - 2,0 R - L						
	2,0	6,0	7	2	17	GIE - 7 - GP - 2,0 L - N							
	2,0	6,0	7	2	17	GIE - 7 - GP - 2,0 L - R							
	2,0	6,0	7	2	17	GIE - 7 - GP - 2,0 L - L							
	3,17	6,0	7	3,17	17	GIE - 7 - ST - 3,0 R							
Scanalatura per anelli - Grooving for Rings													
		l	d	s	d1	r	ART.						
		0,50	2,54	7	2	17	GIE - 7 - SG - 0,5 R						
		0,50	2,54	7	2	17	GIE - 7 - SG - 0,5 L						
		0,70	2,54	7	2	17	GIE - 7 - SG - 0,7 R						
		0,70	2,54	7	2	17	GIE - 7 - SG - 0,7 L						
		0,80	2,54	7	2	17	GIE - 7 - SG - 0,8 R						
		0,80	2,54	7	2	17	GIE - 7 - SG - 0,8 L						
		0,90	2,54	7	2	17	GIE - 7 - SG - 0,9 R						
		0,90	2,54	7	2	17	GIE - 7 - SG - 0,9 L						
		1,10	6,00	7	2	17	GIE - 7 - SG - 1,1 R						
		1,10	6,00	7	2	17	GIE - 7 - SG - 1,1 L						
		1,30	6,00	7	2	17	GIE - 7 - SG - 1,3 R						
		1,30	6,00	7	2	17	GIE - 7 - SG - 1,3 L						
		1,60	6,00	7	2	17	GIE - 7 - SG - 1,6 R						
		1,60	6,00	7	2	17	GIE - 7 - SG - 1,6 L						
		1,85	6,00	7	2	17	GIE - 7 - SG - 1,85 R						
		1,85	6,00	7	2	17	GIE - 7 - SG - 1,85 L						
Scanalatura raggiata e Profilatura - Radial Grooving and Profiling													
		l	d	s	d1	r	ART.						
		1,0	0,50	6	7	2	17	GIE - 7 - GR - 1,0 R					
		1,0	0,50	6	7	2	17	GIE - 7 - GR - 1,0 L					
		1,5	0,75	6	7	2	17	GIE - 7 - GR - 1,5 R					
		1,5	0,75	6	7	2	17	GIE - 7 - GR - 1,5 L					
		2,0	1,00	6	7	2	17	GIE - 7 - GR - 2,0 R					
		2,0	1,00	6	7	2	17	GIE - 7 - GR - 2,0 L					
	3,17	1,58	6	7	3,17	17	GIE - 7 - SC - 3,0 R						
Filettatura - Threading													
		l	d	s	d1	r	ART.						
		60°	0,10	7	2	17	GIE - 7 - GW - 60 R						
		60°	0,10	7	2	17	GIE - 7 - GW - 60 L						
		55°	0,12	7	2	17	GIE - 7 - GW - 55 R						
	55°	0,12	7	2	17	GIE - 7 - GW - 55 L							